



COMMERCIAL LIFERAFTS

SURVITECZODIAC

RANGE OF PRODUCTS


TECHNICAL DATA SHEETS



 **survitec**

TECHNICAL DATA SHEETS

I.	THROW OVER BOARD LIFERAFTS (TO) IN ROUND CONTAINER	2
II.	THROW OVER BOARD LIFERAFTS (TO) IN LOW PROFILE CONTAINER.....	7
III.	THROW OVER BOARD LIFERAFTS (TO) IN XTREM CONTAINER.....	11
IV.	THROW OVER BOARD SELF RIGHTING LIFERAFTS (TO SR) IN ROUND CONTAINER	14
V.	DAVIT LAUNCHED LIFERAFTS (DL)	18
VI.	DAVIT LAUNCHED SELF RIGHTING LIFERAFTS (DL SR)	23
VII.	OPEN REVERSIBLE LIFERAFTS (ORIL) IN ROUND CONTAINER.....	25
VIII.	OPEN REVERSIBLE LIFERAFTS (ORIL) IN LOW PROFILE CONTAINER	27
IX.	MEAN OF RESCUE 10 PERSONS	28
X.	PRO PECHE / FISHER LIFERAFTS NON SOLAS	29
XI.	CRADLES	30





Survitec SAS

Route de Chatenet, 17210 Chevaux, France
 Tel: +33 (0)5 40 16 19 11 / Fax: +33 (0)5 46 04 65 92 / Email: surviteczodiac@survitecgroup.com
www.surviteczodiac.com / www.survitecgroup.com




I. THROW OVER BOARD LIFERAFTS (TO) IN ROUND CONTAINER

Throw Over liferafts in ROUND container



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
04	1640 / 5'38"	1700 / 5'57"	1120 / 3'67"
06	2290 / 7'51"	1700 / 5'57"	1140 / 3'74"
08	2720 / 8'92"	1847 / 6'05"	1270 / 4'16"




A PACK									
Part Number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
-	04 A pack	MK10 S3	1155 / 3'9 1/2"	470 / 1'6 1/2"	435 / 1'5 1/4"	56 / 123	0.58 / 130	1.03 / 232	TC - USCG
Z1560S	06 A pack	MK10 S4	1260 / 4'1 1/2"	520 / 1'8 1/2"	485 / 1'8"	76 / 168	0.72 / 162	1.23 / 277	TC - EC - USCG
Z1562S	08 A pack	MK10 S4	1260 / 4'1 1/2"	520 / 1'8 1/2"	485 / 1'8"	80 / 176	0.65 / 146	1.5 / 337	TC - EC - USCG


B PACK									
Part Number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
-	04 B pack	MK10 S3	1155 / 3'9 1/2"	470 / 1'6 1/2"	435 / 1'5 1/4"	48 / 106	0.58 / 130	1.03 / 232	TC - USCG
Z1561S	06 B pack	MK10 S3	1155 / 3'9 1/2"	470 / 1'6 1/2"	435 / 1'5 1/4"	57 / 126	0.72 / 162	1.23 / 277	TC - EC - USCG
Z1563S	08 B pack	MK10 S3	1155 / 3'9 1/2"	470 / 1'6 1/2"	435 / 1'5 1/4"	57 / 126	0.65 / 146	1.5 / 337	TC - EC - USCG



Throw Over liferafts in ROUND container



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
10	3008 / 9'86"	2660 / 8'72"	1515 / 4'97"
12	3267 / 10'71"	2860 / 9'38"	1566 / 5'13"
16	3747 / 12'29"	3270 / 10'72"	1740 / 5'70"



A PACK


Part Number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1564S	10 A pack	MK14 S14	1156 / 3'9 1/2"	612 / 2'1"	584 / 1'1"	99 / 218	0.88 / 198	1.55 / 348	TC - EC - USCG
Z31182S	12 A pack	MK14 S14	1156 / 3'9 1/2"	612 / 2'1"	584 / 1'1"	108 / 238	0.8 / 180	1.79 / 402	TC - EC - USCG
Z1568S	16 A pack	MK14 S17	1308 / 4'3 1/2"	713 / 2'5"	685 / 2'3"	139 / 306	0.87 / 196	2.06 / 463	TC - EC - USCG

B PACK


Part Number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1565S	10 B pack	MK10 S4	1260 / 4'1 1/2"	520 / 1'8 1/2"	485 / 1'8"	80 / 176	0.88 / 198	1.55 / 348	TC - EC - USCG
Z31183S	12 B pack	MK10 S4	1260 / 4'1 1/2"	520 / 1'8 1/2"	485 / 1'8"	85 / 187	0.8 / 180	1.79 / 402	TC - EC - USCG
Z1569S	16 B pack	MK14 S14	1156 / 3'9 1/2"	612 / 2'1"	584 / 1'1"	101 / 223	0.87 / 196	2.06 / 463	TC - EC - USCG



Throw Over liferafts in ROUND container



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
20	4050 / 13'28"	3947 / 12'94"	1755 / 5'75"
25	4050 / 13'28"	4372 / 14'34"	1960 / 6'43"
25 MEC*	4480 / 14'69"	4250 / 13'94"	1750 / 5'74"




A PACK									
Part Number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1570S	20 A pack	MK14 S17	1308 / 4'3 1/2"	713 / 2'5"	685 / 2'3"	160 / 353	0.78 / 175	1.5 / 337	TC - EC - USCG
Z1572S	25 A pack	MK14 S17	1308 / 4'3 1/2"	713 / 2'5"	685 / 2'3"	180 / 397	1.3 / 292	2.59 / 582	TC - EC - USCG
Z31624	25 MEC* A pack	N15GM	1275 / 4'2,2"	800 / 2'7,5"	755 / 2'5,73"	167 / 369	0.8 / 180	1.45 / 326	EC

B PACK									
Part Number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1571S	20 B pack	MK14 S14	1156 / 3'9 1/2"	612 / 2'1"	584 / 1'1"	106 / 234	0.78 / 175	1.5 / 337	TC - EC - USCG
Z1573S	25 B pack	MK14 S17	1308 / 4'3 1/2"	713 / 2'5"	685 / 2'3"	130 / 287	1.3 / 292	2.59 / 582	TC - EC - USCG

* Liferaft 25 persons compatible with MEC (Marine Evacuation Chute)



Throw Over liferafts in ROUND container




A PACK




Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31388	37 A pack	N18	1560 / 5'1,42"	852 / 2'9,55"	835 / 2'8,88"	250 / 552	1.22 / 274	2.27 / 510	EC
Z1588L/R	50 A pack	N20	1560 / 5'1,42"	952 / 3'1,49"	960 / 3'1,8"	434 / 757	1.58 / 355	2.42 / 544	EC - USCG TC

B PACK

Part Number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31407	37 B pack	N16	1450 / 4'9,09"	800 / 2'7,5"	740 / 2'5,14"	163 / 360	1.22 / 274	2.27 / 510	EC
Z1589L/R	50 B pack	N18	1560 / 5'1,42"	852 / 2'9,55"	835 / 2'8,88"	221 / 488	1.58 / 355	2.42 / 544	EC - USCG TC



Throw Over liferafts in ROUND container






B PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
150 V B pack	N19		1930 / 6'3,99"	1150 / 3'9,28"	1120 / 3'8,1"	490 / 1081	2.5 / 562	4.85 / 1090	USCG - TC

II. THROW OVER BOARD LIFERAFTS (TO) IN LOW PROFILE CONTAINER

Throw Over liferafts in LPC





A PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z0401	04 A pack	N133	924 / 3'0,38"	574 / 1'10,6"	359 / 1'2,14"	54 / 120	0,35 / 78	0,6 / 134	USCG - TC


B PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z0402	04 B pack	N133	924 / 3'0,38"	574 / 1'10,6"	359 / 1'2,14"	46 / 102	0,35 / 78	0,6 / 134	USCG - TC

Throw Over liferafts in LPC



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
06	2290 / 7'51"	1700 / 5'57"	1140 / 3'74"
08	2720 / 8'92"	1847 / 6'05"	1270 / 4'16"



A PACK



Part Number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
-	06 A pack	LPC MK18 S3	985 / 3'2 3/4"	670 / 2'2 1/2"	435 / 1'5 1/4"	76 / 168	0.72 / 162	1.23 / 277	TC - EC - USCG
-	08 A pack	LPC MK18 S3	985 / 3'2 3/4"	670 / 2'2 1/2"	435 / 1'5 1/4"	86 / 190	0.65 / 146	1.5 / 337	TC - EC - USCG

B PACK


Part Number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
-	06 B pack	LPC MK18 S3	985 / 3'2 3/4"	670 / 2'2 1/2"	435 / 1'5 1/4"	57 / 126	0.72 / 162	1.23 / 277	TC - EC - USCG
-	08 B pack	LPC MK18 S3	985 / 3'2 3/4"	670 / 2'2 1/2"	435 / 1'5 1/4"	62 / 137	0.65 / 146	1.5 / 337	TC - EC - USCG



Throw Over liferafts in LPC



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
10	3008 / 9'86"	2660 / 8'72"	1515 / 4'97"
12	3267 / 10'71"	2860 / 9'38"	1566 / 5'13"



A PACK


Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
-	10 A pack	LPC MK16 S2	1190 / 3'10 3/4"	650 / 2'1 1/2"	315 / 1'0 1/2"	101 / 223	0.88 / 198	1.55 / 348	TC - EC - USCG
-	12 A pack	LPC MK16 S2	1190 / 3'10 3/4"	650 / 2'1 1/2"	315 / 1'0 1/2"	110 / 243	0.8 / 180	1.79 / 402	TC - EC - USCG

B PACK


Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
-	10 B pack	LPC MK16 S2	1190 / 3'10 3/4"	650 / 2'1 1/2"	315 / 1'0 1/2"	85 / 187	0.88 / 198	1.55 / 348	TC - EC - USCG
-	12 B pack	LPC MK16 S2	1190 / 3'10 3/4"	650 / 2'1 1/2"	315 / 1'0 1/2"	90 / 198	0.8 / 180	1.79 / 402	TC - EC - USCG



Throw Over liferafts in LPC



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
16	3622 / 11'10,6"	3622 / 11'10,6"	1650 / 5'4,97"
20	3622 / 11'10,6"	3622 / 11'10,6"	1663 / 5'5,48"




A PACK									
Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1647	16 A pack	N136H	1160 / 3'9,67"	752 / 2'5,61"	505 / 1'7,89"	126 / 278	0,63 / 141	0,92 / 206	EC - USCG TC - CCS
Z31257	20 A pack	N136H	1160 / 3'9,67"	752 / 2'5,61"	505 / 1'7,89"	141 / 311	0,84 / 188	1,15 / 258	EC - USCG TC - CCS

B PACK									
Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1648	16 B pack	N136	1160 / 3'9,67"	730 / 2'4,75"	408 / 1'4,07"	87 / 192	0,63 / 141	0,92 / 206	EC - USCG TC - CCS
Z31188	20 B pack	N136	1160 / 3'9,67"	730 / 2'4,75"	408 / 1'4,07"	95,5 / 211	0,84 / 188	1,15 / 258	EC - USCG TC - CCS

III. THROW OVER BOARD LIFERAFTS (TO) IN XTREM CONTAINER

Throw Over liferafts in XTREM container





A PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' '")	B (mm / ' '")	C (mm / ' '")		2 knots	3 knots	
Z31065	06 A pack	N137H	790 / 2'7,11"	555 / 1'9,86"	340 / 1'1,39"	58 / 128	0,35 / 78	0,6 / 134	EC - USCG TC - CCS


B PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' '")	B (mm / ' '")	C (mm / ' '")		2 knots	3 knots	
Z31066	06 B pack	N137	790 / 2'7,11"	555 / 1'9,86"	270 / 10,63"	42 / 93	0,35 / 78	0,6 / 134	EC - USCG TC - CCS

Throw Over liferafts in XTREM container



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
08	2480 / 8'1,64"	2480 / 8'1,64"	1400 / 4'7,12"
10	3106 / 10'2,29"	2692 / 8'9,99"	1420 / 4'7,91"




A PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31067	08 A pack	N138H	840 / 2'9,08"	570 / 1'10,45"	340 / 1'1,39"	74 / 164	0,42 / 94	0,65 / 146	EC - CCS
Z31069	10 A pack	N139H	940 / 3'1,01"	640 / 2'1,2"	364 / 1'2,34"	85 / 188	0,45 / 101	0,75 / 168	EC - USCG TC - CCS


B PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31068	08 B pack	N138	840 / 2'9,08"	570 / 1'10,45"	294 / 1'1,58"	54 / 120	0,42 / 94	0,65 / 146	EC - CCS
Z31070	10 B pack	N139	940 / 3'1,01"	640 / 2'1,2"	314 / 1'0,37"	60 / 133	0,45 / 101	0,75 / 168	EC - USCG TC - CCS

Throw Over liferafts in XTREM container



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
12	3040 / 9'11,69"	3040 / 9'11,69"	1640 / 5'4,57"
16	3622 / 11'10,6"	3622 / 11'10,6"	1650 / 5'4,97"



A PACK


Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31186	12 A pack	N139H	940 / 3'1,01"	640 / 2'1,2"	364 / 1'2,34"	96 / 212	0,52 / 116	0,9 / 202	EC - USCG TC
Z31073	16 A pack	N140H	1100 / 3'7,31"	650 / 2'1,6"	370 / 1'2,57"	120 / 265	0,63 / 141	0,92 / 206	EC - USCG TC - CCS

B PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31187	12 B pack	N139	940 / 3'1,01"	640 / 2'1,2"	314 / 1'0,37"	64 / 142	0,52 / 116	0,9 / 202	EC - USCG TC
Z31074	16 B pack	N140	1100 / 3'7,31"	650 / 2'1,6"	340 / 1'1,39"	82 / 181	0,63 / 141	0,92 / 206	EC - USCG TC - CCS

IV. THROW OVER BOARD SELF RIGHTING LIFERAFTS (TO SR) IN ROUND CONTAINER

Throw over Self-Righting liferafts in ROUND container



A PACK



Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31055	06 A pack	N12	1160 / 3'9,67"	560 / 1'10,05"	513 / 1'8,2"	72 / 159	0,41 / 92	0,71 / 159	EC - USCG - TC

B PACK


Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31056	06 B pack	N12	1160 / 3'9,67"	560 / 1'10,05"	513 / 1'8,2"	58 / 128	0,41 / 92	0,71 / 159	EC - USCG - TC



Throw over Self-Righting liferafts in ROUND container



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
08	3150 / 10'4,02"	1800 / 5'10,87"	1279 / 4'2,36"
10	3287 / 10'9,41"	2129 / 6'11,82"	1350 / 4'5,15"
12	3753 / 12'3,76"	2200 / 7'2,62"	1445 / 4'8,89"





A PACK									
Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31124	08 A pack	N12	1160 / 3'9,67"	560 / 1'10,05"	513 / 1'8,2"	85 / 188	0,47 / 105	0,67 / 150	EC
Z31126	10 A pack	N13	1275 / 4'2,2"	610 / 2'0,02"	590 / 1'11,23"	98 / 217	0,51 / 114	0,87 / 195	EC
Z31274	12 A pack	N13	1275 / 4'2,2"	610 / 2'0,02"	590 / 1'11,23"	110 / 243	0,63 / 141	0,95 / 213	EC - TC



B PACK									
Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31125	08 B pack	N12	1160 / 3'9,67"	560 / 1'10,05"	513 / 1'8,2"	69 / 153	0,47 / 105	0,67 / 150	EC
Z33043	10 B pack	N12	1160 / 3'9,67"	560 / 1'10,05"	513 / 1'8,2"	73 / 161	0,51 / 114	0,87 / 195	EC
-	12 B pack	N12	1160 / 3'9,67"	560 / 1'10,05"	513 / 1'8,2"	82 / 181	0,63 / 141	0,95 / 213	EC - TC

Throw over Self-Righting liferafts in ROUND container


25 & 37 TO SR



50 TO SR



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
25	4645 / 15'2,88"	3500 / 11'5,8"	2070 / 6'9,5"
37	5596 / 18'4,32"	4204 / 13'9,52"	2502 / 8'2,51"
50	6545 / 21'5,68"	4720 / 15'5,83"	2845 / 9'4,01"



A PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1590	25 A pack	N16	1450 / 4'9,09"	800 / 2'7,5"	740 / 2'5,14"	200 / 441	0,92 / 206	1,49 / 334	EC
Z1595	37 A pack	N17	1500 / 4'11,06"	950 / 3'1,41"	945 / 3'1,21"	305 / 673	1,28 / 287	2,30 / 517	EC - TC
Z1617	50 A pack	N20	1560 / 5'1,42"	952 / 3'1,49"	960 / 3'1,8"	360 / 794	1,6 / 359	2,57 / 577	EC - USCG


B PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1591	25 B pack	N22	1530 / 5'0,24"	680 / 2'2,78"	620 / 2'0,41"	150 / 331	1,49 / 334	1,49 / 334	EC
Z1596	37 B pack	N16	1450 / 4'9,09"	800 / 2'7,5"	740 / 2'5,14"	209 / 461	2,30 / 517	2,30 / 517	EC - TC
Z1618	50 B pack	N18	1560 / 5'1,42"	852 / 2'9,55"	835 / 2'8,88"	235 / 519	2,57 / 577	2,57 / 577	EC - USCG




Throw over Self-Righting liferafts in ROUND container


100 TO SR V



150 TO SR



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
100V	10943 / 35'10,83"	5535 / 18'1,92"	3300 / 10'9,93"
150	14767 / 48'5,38"	5532 / 18'1,8"	3305 / 10'10,12"
150V	14767 / 48'5,38"	5532 / 18'1,8"	3305 / 10'10,12"



A PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
	100V A pack	N29	1935 / 6'4,19"	1040 / 3'4,95"	1015 / 3'3,97"	560 / 1235	2,20 / 494	4,33 / 973	EC
Z1597	150 A pack	N23	3340 / 10'11,5"	1050 / 3'5,34"	1035 / 3'4,75"	995 / 2194	2,73 / 613	4,81 / 1081	EC - TC



B PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
	100V B pack	N26	2000 / 6'6,75"	970 / 3'2,19"	925 / 3'0,42"	415 / 915	2,20 / 494	4,33 / 973	EC
Z1598	150 B pack	N23	3340 / 10'11,5"	1050 / 3'5,34"	1035 / 3'4,75"	845 / 1863	2,73 / 613	4,81 / 1081	EC - TC
	150V B pack	N27	2100 / 6'10,68"	1050 / 3'5,34"	1035 / 3'4,75"	523 / 1153	2,5 / 562	4,85 / 1090	EC



V. DAVIT LAUNCHED LIFERAFTS (DL)

Davit Launched liferafts in ROUND container






A PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31326	8 A pack	N13B	1275 / 4'2,2"	610 / 2'0,02"	590 / 1'11,23"	84 / 186	0,35 / 78	0,6 / 134	EC - USCG

B PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z31327	8 B pack	N12	1160 / 3'9,67"	560 / 1'10,05"	513 / 1'8,2"	63 / 139	0,35 / 78	0,6 / 134	EC - USCG

Davit Launched liferafts in ROUND container






Liferaft capacity	Liferaft dimensions			
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")	Z' (mm / ' ")
12	3267 / 10'71"	2854 / 9'36"	1891 / 6'20"	1566 / 5'13"
16	3747 / 12'29"	3270 / 10'72"	2065 / 6'77"	1740 / 5'70"

A PACK									
Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1574S	12 A pack	RND MK14 S14	1156 / 3'9 1/2"	612 / 2'1"	584 / 1'11"	113 / 249	0.8 / 180	1.79 / 402	TC - EC -USCG
Z1576S	16 A pack Stowage height 25m	RND MK14 S14	1156 / 3'9 1/2"	612 / 2'1"	584 / 1'11"	152 / 335	0.87 / 196	2.06 / 463	TC - EC -USCG
-	16 A pack Stowage height 36m	RND MK14 S17	1308 / 4'3 1/2"	713 / 2'5"	685 / 2'3"	141 / 311	0.87 / 196	2.06 / 463	TC - EC -USCG

B PACK									
Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1575S	12 B pack	RND MK14 S14	1156 / 3'9 1/2"	612 / 2'1"	584 / 1'11"	92 / 203	0.8 / 180	1.79 / 402	TC - EC -USCG
Z1577S	16 B pack	RND MK14 S14	1156 / 3'9 1/2"	612 / 2'1"	584 / 1'11"	106 / 234	0.87 / 196	2.06 / 463	TC - EC -USCG



Davit Launched liferafts in ROUND container




Liferaft capacity	Liferaft dimensions			
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")	Z' (mm / ' ")
20	4050 / 13'28"	4070 / 13'35"	2065 / 6'77"	1755 / 5'75"
25	4050 / 13'28"	4372 / 14'34"	2270 / 7'44"	1960 / 6'43"

A PACK									
Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1578S	20 A pack	RND MK14 S17	1308 / 4'3 1/2"	713 / 2'5"	685 / 2'3"	163 / 359	0.78 / 175	1.5 / 337	TC - EC -USCG
Z1580S	25 A pack	RND MK14 S17	1308 / 4'3 1/2"	713 / 2'5"	685 / 2'3"	185 / 408	1.3 / 292	2.59 / 582	TC - EC -USCG

B PACK									
Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1579S	20 B pack	RND MK14 S17	1308 / 4'3 1/2"	713 / 2'5"	685 / 2'3"	123 / 271	0.78 / 175	1.5 / 337	TC - EC -USCG
Z1581S	25 B pack	RND MK14 S17	1308 / 4'3 1/2"	713 / 2'5"	685 / 2'3"	135 / 298	1.3 / 292	2.59 / 582	TC - EC -USCG

Davit Launched liferafts in ROUND container



A PACK


Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1584	37 A pack	N17B	1500 / 4'11,06"	950 / 3'1,41"	945 / 3'1,21"	275 / 607	1,22 / 274	2,27 / 510	EC - USCG TC - RMRS

B PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1585	37 B pack	N16B	1450 / 4'9,09"	800 / 2'7,5"	740 / 2'5,14"	195 / 430	1,22 / 274	2,27 / 510	EC - USCG TC - RMRS

Davit Launched liferafts in SQUARE FEET container

Single storage



Double storage



A PACK - SINGLE storage

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1639	25 A pack	N16B CI	1450 / 4'9,09"	820 / 2'8,29"	915 / 3'0,03"	250 / 552	0,92 / 206	1,27 / 285	EC
Z15843	37 A pack	N17 CI	1500 / 4'11,06"	955 / 3'1,6"	1115 / 3'7,9"	350 / 772	1,22 / 274	2,27 / 510	EC

B PACK - SINGLE storage

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z15852	37 B pack	N16B CI	1450 / 4'9,09"	820 / 2'8,29"	915 / 3'0,03"	240 / 530	1,22 / 274	2,27 / 510	EC

A PACK - DOUBLE storage



Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1640	25 A pack	N16B CI	1450 / 4'9,09"	820 / 2'8,29"	1650 / 5'4,97"	450 / 993	0,92 / 206	1,27 / 285	EC
Z15844	37 A pack	N17 CI	1500 / 4'11,06"	955 / 3'1,6"	2060 / 6'9,11"	660 / 1456	1,22 / 274	2,27 / 510	EC

B PACK - DOUBLE storage

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z15853	37 B pack	N16B CI	1450 / 4'9,09"	820 / 2'8,29"	1650 / 5'4,97"	440 / 971	1,22 / 274	2,27 / 510	EC

VI. DAVIT LAUNCHED SELF RIGHTING LIFERAFTS (DL SR)

Davit Launched Self-Righting liferafts in ROUND container



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
25	4645 / 15'2,88"	3500 / 11'5,8"	2070 / 6'9,5"
37	5596 / 18'4,32"	4204 / 13'9,52"	2502 / 8'2,51"



A PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1582	25 A pack	N16B	1450 / 4'9,09"	800 / 2'7,5"	740 / 2'5,14"	220 / 486	0,92 / 206	1,49 / 334	EC - TC
Z1586	37 A pack	N17B	1500 / 4'11,06"	950 / 3'1,41"	945 / 3'1,21"	315 / 695	1,28 / 287	2,30 / 517	EC - TC


B PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z1583	25 B pack	N22B	1530 / 5'0,24"	680 / 2'2,78"	620 / 2'0,41"	150 / 331	0,92 / 206	1,49 / 334	EC - TC
Z1587	37 B pack	N18B	1560 / 5'1,42"	850 / 2'9,47"	835 / 2'8,88"	230 / 508	1,28 / 287	2,30 / 517	EC - TC



Davit Launched Self-Righting liferafts in SQUARE FEET container

Single storage



Double storage



A PACK - SINGLE storage

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' '")	B (mm / ' '")	C (mm / ' '")		2 knots	3 knots	
Z15822	25 A pack	N16B CI	1450 / 4'9,09"	820 / 2'8,29"	915 / 3'0,03"	260 / 574	0,92 / 206	1,49 / 334	EC
Z15862	37 A pack	N17B CI	1500 / 4'11,06"	955 / 3'1,6"	1115 / 3'7,9"	370 / 816	1,28 / 287	2,30 / 517	EC

B PACK - SINGLE storage

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' '")	B (mm / ' '")	C (mm / ' '")		2 knots	3 knots	
Z1706	25 B pack	N22B CI	1530 / 5'0,24"	820 / 2'8,29"	796 / 2'7,34"	200 / 441	0,92 / 206	1,49 / 334	EC
Z15876	37 B pack	N18B CI	1560 / 5'1,42"	915 / 3'0,03"	1020 / 3'4,16"	270 / 596	1,28 / 287	2,30 / 517	EC

A PACK - DOUBLE storage

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' '")	B (mm / ' '")	C (mm / ' '")		2 knots	3 knots	
Z15823	25 A pack	N16B CI	1450 / 4'9,09"	820 / 2'8,29"	1650 / 5'4,97"	480 / 1059	0,92 / 206	1,49 / 334	EC
Z15863	37 A pack	N17B CI	1500 / 4'11,06"	955 / 3'1,6"	2060 / 6'9,11"	700 / 1544	1,28 / 287	2,30 / 517	EC


B PACK - DOUBLE storage

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' '")	B (mm / ' '")	C (mm / ' '")		2 knots	3 knots	
Z1707	25 B pack	N22B CI	1530 / 5'0,24"	820 / 2'8,29"	1420 / 4'7,91"	360 / 794	0,92 / 206	1,49 / 334	EC
Z15877	37 B pack	N18B CI	1560 / 5'1,42"	915 / 3'0,03"	1865 / 6'1,43"	500 / 1103	1,28 / 287	2,30 / 517	EC


VII. OPEN REVERSIBLE LIFERAFTS

Open Reversible liferafts in ROUND container


ORIL 10



ORIL 30



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
06	2400 / 7'10,49"	1650 / 5'4,97"	487 / 1'7,18"
10	3030 / 9'11,3"	2624 / 8'7,31"	553 / 1'9,78"
20	3590 / 11'9,34"	3590 / 11'9,34"	692 / 2'3,25"
30-37	4725 / 15'6,03"	4498 / 14'9,09"	758 / 2'5,85"



HSC PACK


Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z33050	06	N11	1020 / 3'4,16"	476 / 1'6,75"	440 / 1'5,33"	40 / 89	0,28 / 62	0,6 / 134	EC
Z33052	10	N11	1020 / 3'4,16"	476 / 1'6,75"	440 / 1'5,33"	51 / 113	0,41 / 92	0,78 / 175	EC
Z33048	20	N12	1160 / 3'9,67"	560 / 1'10,05"	513 / 1'8,2"	77 / 170	0,71 / 159	1,02 / 229	EC
Z1539	30	N13	1275 / 4'2,2"	610 / 2'0,02"	590 / 1'11,23"	100 / 221	1,02 / 229	1,38 / 310	EC
Z0696	37	N13	1275 / 4'2,2"	610 / 2'0,02"	590 / 1'11,23"	104 / 230	0,96 / 215	1,31 / 294	MCA

SURVITECZODIAC ORILs comply with HSC Code and are also available in conformity with other local approvals (TC, USCG, MCA...)




Open Reversible liferafts in ROUND container


ORIL 50



ORIL 151V




Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
50	5985 / 19'7,63"	5270 / 17'3,49"	850 / 2'9,47"
100V	9300 / 30'6,15"	6100 / 20'0,16"	1000 / 3'3,38"
151V	14807 / 48'6,96"	5532 / 18'1,8"	1032 / 3'4,63"



HSC PACK									
Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z0466L/R	50	N15	1275 / 4'2,2"	800 / 2'7,5"	740 / 2'5,14"	170 / 375	1,2 / 269	1,95 / 438	EC
Z33007	100V	N16	1450 / 4'9,09"	800 / 2'7,5"	740 / 2'5,14"	226 / 499	1,96 / 440	3,15 / 708	EC
Z33009 (L) Z33010 (R)	151V	N20	1560 / 5'1,42"	952 / 3'1,49"	960 / 3'1,8"	350 / 772	2,15 / 483	3,30 / 741	EC


SURVITECZODIAC ORILs comply with HSC Code and are also available in conformity with other local approvals (TC, USCG, MCA...)




VIII. OPEN REVERSIBLE LIFERAFTS

Open Reversible liferafts in LOW PROFILE container


ORIL 10



ORIL 30



Liferaft capacity	Liferaft dimensions		
	X (mm / ' ")	Y (mm / ' ")	Z (mm / ' ")
06	2400 / 7'10,49"	1650 / 5'4,97"	487 / 1'7,18"
10	3030 / 9'11,3"	2624 / 8'7,31"	553 / 1'9,78"
20	3590 / 11'9,34"	3590 / 11'9,34"	692 / 2'3,25"
30-37	4725 / 15'6,03"	4498 / 14'9,09"	758 / 2'5,85"




HSC PACK

Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Towing force (kN / lbf)		Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		2 knots	3 knots	
Z33051	06	N131	825 / 2'8,49"	540 / 1'9,26"	318 / 1'0,52"	38 / 84	0,28 / 62	0,6 / 134	EC
Z33053	10	N132	890 / 2'11,04"	520 / 1'8,48"	333 / 1'1,12"	51 / 113	0,41 / 92	0,78 / 175	EC
Z33054	20	N134	965 / 3'2"	596 / 1'11,47"	380 / 1'2,97"	77 / 170	0,71 / 159	1,02 / 229	EC
Z33160	30	N135	1088 / 3'6,84"	666 / 2'2,23"	390 / 1'3,36"	99 / 219	1,02 / 229	1,38 / 310	EC
Z0697	37	N136	1160 / 3'9,67"	730 / 2'4,75"	408 / 1'4,07"	101 / 223	0,96 / 215	1,31 / 294	MCA

SURVITECZODIAC ORILs comply with HSC Code and are also available in conformity with other local approvals (TC, USCG, MCA...)





IX. MEAN OF RESCUE 10 PERSONS




MOR							
Part number	MOR capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Approval
			A (mm / ' ")	B (mm / ' ")	C (mm / ' ")		
Z0081	10	N13B	1275 / 4'2,2"	610 / 2'0,02"	590 / 1'11,23"	120 / 265	EC

X. PRO PECHE / FISHER LIFERAFTS NON SOLAS

PRO PECHE V 06 Throw Over liferafts (PU fabric) in LOW PROFILE container



Interface + cradle




CLV PRO PECHE



Part number	Liferaft capacity	Container type	Container dimensions			Liferaft net weight (kg / Pounds)	Approval
			A (mm / ' '")	B (mm / ' '")	C (mm / ' '")		
Z35017	06	PROPECHE	690 / 2'7,11"	440 / 1'9,86"	290 / 1'1,39"	35 / 78	MMF

XI. CRADLES

SURVITECZODIAC metallic deck cradles




Part number (deck + lashing)		
Adapted to containers	Aluminum	Steel
SURVITECZODIAC n°11 to 16	Z5804	Z5884
SURVITECZODIAC n°18 & 22	Z5804	Z5884
SURVITECZODIAC n°17 & 20	Z5805	Z63508
MK10 size 4	-	Z5884
MK14 size 14	-	Z5884
MK14 size 17	-	Z5884




Adapted to containers	L (mm)	A (mm)
SURVITECZODIAC 11	1020	250
SURVITECZODIAC 12	1160	320
SURVITECZODIAC 13	1275	450
SURVITECZODIAC 14	1275	480
SURVITECZODIAC 15	1275	480
SURVITECZODIAC 16	1450	640
SURVITECZODIAC 17	1500	685
SURVITECZODIAC 18	1560	715
SURVITECZODIAC 20	1560	710
SURVITECZODIAC 22	1530	745

Adapted to containers	L (mm)	A (mm)
MK10 size 4	1262	600
MK14 size 14	1156	620
MK14 size 17	1308	600


SURVITEC deck cradles



Adapted to containers	L (mm)	A (mm)
SURVITECZODIAC n°11 to 14	≤ 1275	640
MK 10 & 14	< 1450	600
	> 1450	700




SURVITECZODIAC GRP deck cradles




Part number	
Adapted to containers	Single
SURVITECZODIAC 11	Z5866
SURVITECZODIAC 12	Z5852
SURVITECZODIAC 13	Z5867
SURVITECZODIAC 14 & 22	Z5862
SURVITECZODIAC 15 & 16	Z5853
SURVITECZODIAC 22B	Z5878

Part number	
Adapted to containers	Double
SURVITECZODIAC 15B & 16B	Z5880
SURVITECZODIAC 22B	Z5879


SURVITECZODIAC tilting cradles



Part number	
Adapted to containers	Single
SURVITECZODIAC 13 / 14 / 15	Z73601
SURVITECZODIAC 16 / 17 / 18 / 20	Z73602
SURVITECZODIAC 25	Z73211
SURVITECZODIAC 19 / 26 / 27 / 29	Z73214
SURVITECZODIAC 19 / 26 / 27 / 29 MIS	Z73600



Part number	
Adapted to containers	Double
SURVITECZODIAC 15 with lashing	Z73089
SURVITECZODIAC 18 / 20	Z63167



Part number	
Adapted to containers	Double vertical
SURVITECZODIAC 13 / 14 / 15	Z73405
SURVITECZODIAC 20	Z5809
SURVITECZODIAC 15	Z73619