





MARINE EVACUATION SYSTEM (MES) 150 MAN THROW OVER BOARD VENTURI LIFERAFT ASSOCIATED WITH SMALL INFLATABLE SLIDE (SIS)





TECHNICAL INFORMATION (SIS information on pages 2 & 3)


150 MAN MES SIS	B PACK		
Container	N 19		
Dimensions	A: 1930 mm A: 6' 3,99"	B: 1150 mm B: 3' 9,28"	C: 1120 mm C: 3' 8,1"
Liferaft Net Weight	490 kg / 1081 pounds		
Max. height stowage	20 m / 66'		
Firing line length	35 m / 115'		
Inflation Cylinder	2 x 35 liter + 1 x 2,83 liter		
 Crate	X: 2100 mm X: 6' 10,68"	Y: 1250 mm Y: 4' 1,22"	Z: 1270 mm Z: 4' 2"
	565 kg / 1246 pounds		
	3,334 m ³ / 117,72 cubic foot		
Towing force	2 knots	3 knots	
Without sea anchor	240 daN	470 daN	
With sea anchor	270 daN	510 daN	


Dimensions and weight +/- 5% Zodiac reserves the right to change specification without notice.
For installation, add minimum +10mm for clearance to dimensions of the container.

SIS (SMALL INFLATABLE SLIDE)



SIS	1,70 m			2,20 m		
Valise						
Dimensions	A:670mm	B:300mm	C:260mm	A:720mm	B:425mm	C:295mm
	A:2' 2,38"	B:1' 1,82"	C:10,24"	A:2' 4,35"	B:1' 4,74"	C:11,62"
Slide net weight	15 kg / 34 pounds			19 kg / 42 pounds		
Max. evacuation height	1,70 m			2,20 m		
Firing line length	1,50 m			1,50 m		
Inflation cylinder	1 x 2,83 litres			1 x 4 litres		
 Crate	X:830mm	Y:540mm	Z:330mm	X:830mm	Y:540mm	Z:330mm
	X:2' 8,68"	Y:1' 9,26"	Z:1' 1"	X:2' 8,68"	Y:1' 9,26"	Z:1' 1"
	17,6 kg / 39 pounds			21,6 kg / 48 pounds		
	0,148 m ³ / 5,23 cubic foot			0,148 m ³ / 5,23 cubic foot		

SIS	2,70 m			3,20 m		
Valise						
Dimensions	A:720mm	B:450mm	C:295mm	A:800mm	B:450mm	C:295mm
	A:2' 4,35"	B:1' 5,72"	C:11,62"	A:2' 7,5"	B:1' 5,72"	C:11,62"
Slide net weight	27 kg / 60 pounds			28,5 kg / 63 pounds		
Max. evacuation height	2,70 m			3,20 m		
Firing line length	1,50 m			1,50 m		
Inflation cylinder	1 x 6 litres			1 x 6,7 litres		
 Crate	X:830mm	Y:540mm	Z:330mm	X:830mm	Y:540mm	Z:330mm
	X:2' 8,68"	Y:1' 9,26"	Z:1' 1"	X:2' 8,68"	Y:1' 9,26"	Z:1' 1"
	29,6 kg / 66 pounds			31,1 kg / 69 pounds		
	0,148 m ³ / 5,23 cubic foot			0,148 m ³ / 5,23 cubic foot		



Slide in valise

SIS	3,80 M		
	Valise		
	A: 820 mm	B: 450 mm	C: 350 mm
Dimensions	A: 2' 8,29"	B: 1' 5,72"	C: 1' 1,78"
Slide net weight	37 kg / 82 pounds		
Max. evacuation height	3,8 m / 13'		
Firing line length	1,5 m / 5'		
Inflation cylinder	1 x 10 liter		
 Crate	X: 920 mm	Y: 560 mm	Z: 370 mm
	X: 3' 0,23"	Y: 1' 10,05"	Z: 1' 2,57"
	40 kg / 89 pounds		
	0,191 m ³ / 6,74 cubic foot		

Approvals:	EC (MED) - TC
-------------------	----------------------

150 TO V MES SIS cont rond Zodiac 04042011 KLT.doc	Issue: 4	Date: 04/04/2011
----------------------------------------------------	----------	------------------

Dimensions and weight +/- 5% Zodiac reserves the right to change specification without notice.
 For installation, add minimum +10mm for clearance to dimensions of the container.